


Remote Control Keypad

Quick Start Guide



10707 Stancliff Road
Houston, Texas 77099

Phone (713) 933-7673
www.rose.com



Using the CD

Insert the provided CD and the Product Document selection window will automatically display. Select the DataSheet or QuickStart, and that document window will display. Select USB installation to install the user software for use with the USB model.

Quick Installation – PS/2 model

The PS/2 model will function on almost any system with a PS/2 keyboard port. (Computer, KVM Switch, KVM Extender, etc)

To install the Remote Control Keypad;

- 1- Turn off your computer
- 2- Disconnect the keyboard from the computer's PS/2 port.
- 3- Connect the keyboard PS/2 connector into the PS/2 female end of the remote Control Keypad cable.
- 4- Connect the male end of the Remote Control Keypad cable into the computer's PS/2 keyboard port.
- 5- Turn on your computer.

To program the Remote Control Keypad (PS/2 model)

- 1- Slide the program switch to the program position (Red dot showing)
- 2- Press a key to program on the Remote Control keypad or stick.
- 3- Type any word or phrase on the keyboard
- 4- Press the same key again to end the programming session
- 5- Slide the program switch to the run position or select another key to program

(Note : The program switch on the 16 key stick is located on the end of the stick next to the keyboard cable connection.

Special Programming Features:

All special programming features are accessed by the same steps:

1. Slide the programming switch into programming mode (the layer indicator will blink).
2. Press the key that you want to program (the layer indicator will double-blink).
3. Press and hold the Esc key.
4. Press and release the associated command key (see table and instructions below).
5. Release the Esc key.
6. Confirm programming on the key (the layer indicator will blink).
7. Slide the programming switch back to the operating position (the layer indicator will glow steadily).

Once you become familiar with the special programming features on the following pages, this list of key commands serves as a useful reference.

Command Symbol Legend

P indicates when to press and hold a key down

Ú indicates when to tap a key

Ý indicates when to release the key.

<> Chevrons indicate the key to be pressed

NOTE: All numbers are on the alphanumeric section of the keyboard (not the number pad).

Single Key Programming Features

Feature	Associated Keystrokes
Layer-toggle	P<Esc> Ú<2> Ý<Esc>
Layer-shift	P<Esc> Ú<1> Ý<Esc>
Repeating Key	P<Esc> Ú<Left-Shift> Ý<Esc>
Separate Press and Release	P<Esc> Ú<Left-Ctrl> Ý<Esc>
Pause	P<Esc> Ú<5> Ý<Esc>
Erasing a Key	Ú<Esc> Ú<Esc> Ú<Esc>

Entire Keyboard Programming Features

Feature	Associated Keystrokes
Slow Transmission Speed	P<Esc> Ú<3> Ý<Esc>
Normal Speed	P<Esc> Ú<4> Ý<Esc>
Caps Lock/Unlock Memory	P<Esc> Ú<8> Ý<Esc>
Caps Lock/Shift Unlock Memory	P<Esc> Ú<9> Ý<Esc>
No Caps Lock Memory	P<Esc> Ú<7> Ý<Esc>
Resetting the Keyboard	Ú<Esc> Ú<Backspace> Ú<Esc> Ú<Esc>Ú<Esc>

Backlighting on X-keys Stick

Backlighting toggle key	P<Esc> Ú Ý<Esc>
Default backlighting on/off	P<Esc> Ú<L> Ý<Esc>